



NMRF/OR/02/2024



OBSERVATION REPORT

**NCMRWF
MONTHLY DATA
MONITORING REPORT**

February 2024

* Permission to quote from this report should be obtained from Head, NCMRWF.

**National Centre for Medium Range Weather Forecasting
Ministry of Earth Sciences, Government of India
A-50, Sector-62, NOIDA-201309, INDIA**

CONTENTS

	Page
1. Introduction	3
2. NCMRWF Monitoring Statistics	4
3. Explanatory note on tables and figures	5
4. Table-1 : Results of Complex Quality Control of Radiosonde	7
5. Table-2 : Total Upper Air Data Reports	8
6. Table-3a : 100 hPa Geo-potential Height Increments for 00z	9
7. Table-3b : 100 hPa Geo-potential Height Increments for 12z	10
8. Table-4a : 500 hPa Geo-potential Height Increments for 00z	11
9. Table-4b : 500 hPa Geo-potential Height Increments for 12z	12
10. Table-5a : 100 hPa Dry Temperature Increments for 00z	13
11. Table-5b : 100 hPa Dry Temperature Increments for 12z	14
12. Table-6a : 500 hPa Dry Temperature Increments for 00z	15
13. Table-6b : 500 hPa Dry Temperature Increments for 12z	16
14. Table-7a : 100 hPa Zonal Wind Increments for 00z	17
15. Table-7b : 100 hPa Zonal Wind Increments for 12z	18
16. Table-8a : 500 hPa Zonal Wind Increments for 00z	20
17. Table-8b : 500 hPa Zonal Wind Increments for 12z	21
18. Table-9a : 100 hPa Meridional Wind Increments for 00z	22
19. Table-9b : 100 hPa Meridional Wind Increments for 12z	23
20. Table-10a: 500 hPa Meridional Wind Increments for 00z	24
21. Table-10b: 500 hPa Meridional Wind Increments for 12z	25
22. Global Charts for Seven Types of Observations	
i) SYNOP Pressure	Fig 1.1
ii) TEMP 500 hPa Geopotential	Fig 1.2
iii) TEMP/PILOT 300 hPa Wind	Fig 1.3
iv) AIRCRAFT Winds 150–300 hPa	Fig 1.4
v) NOAA-18 ATOVS : AMSU-A	Fig 1.5
vi) AMV Winds 400–150 hPa	Fig 1.6(a)
vii) AMV Winds 1000–700 hPa	Fig 1.6(b)
viii) Buoy Pressure	Fig 1.7
23. AMV WINDS (Mean Observed): 700 – 1000 hPa	Fig 2.1
24. AMV WINDS (Wind Bias): 700 – 1000 hPa	Fig 2.2
25. AMV WINDS (Mean Observed): 150 – 400 hPa	Fig 2.3
26. AMV WINDS (Wind Bias): 150 – 400 hPa	Fig 2.4
27. Doppler Weather Radar (DWR) Data Monitoring at NCMRWF	38

1. INTRODUCTION

As a monthly publication, the NCMRWF Data Monitoring Report presents a general view of the data availability for the whole month. Data produced by the Global Observation System, transmitted through the Global Telecommunication System (GTS) are received by the India Meteorological Department (IMD) at New Delhi is relayed to the NCMRWF data processing system. This report consists of the results of monitoring of all the data received at NCMRWF within the global data assimilation cycle cut-off period (~4 hours). Besides quantity monitoring, the report also presents results of quality monitoring for the Indian sub-continent (blocks 42 and 43) RSRW Data.

Objective monitoring of the quality of the data (for blocks 42 and 43 only) is undertaken by NCMRWF as a monthly activity. Tables are prepared following the Commission for Basic System (CBS) recommended format so that the monitoring results can be readily compared with those from other meteorological centers. This is an important task, because frequent comparisons of this kind are absolutely necessary for the improvement of the quality of the Tropical data.

Following the established procedure at other major weather forecasting centers, the first guesses produced by the Global Data Assimilation System (GDAS) (NGFS) have been used in determining data quality. This approach assumes a very accurate first guess, which is not necessarily valid in data sparse regions like the tropics and also due to the model systematic errors. As a result the quality monitoring of tropical data is a difficult task and any judgement has to be arrived carefully.

Comments and Suggestions are welcome and should be send to:
Director, NCMRWF
Ministry of Earth Sciences,
A-50, Sector-62,
NOIDA (U.P.) – 201 309, INDIA.

2. NCMRWF MONITORING STATISTICS

Availability (global) and data quality (for WMO blocks 42 and 43 only) are presented in figures and tables, of which only a brief descriptions are given below.

Data Availability (Monthly average of Global Observations)

Figures 1.1 – 1.7 are global charts for all seven types of observations, received at NCMRWF. Each number is the average for 24 hours, over all observations of the particular type received in a 5-degree box.

Figure	Observation Type	Parameter	Level/Layer
1.1	SYNOP/SHIP	MSL Pressure	Surface
1.2	TEMP	Geo-potential	500 hPa
1.3	TEMP/PILOT	Wind	300 hPa
1.4	AIRCRAFT	Wind	300 to 150 hPa
1.5	Satellite Sounding	Radiance	All
1.6	Atmospheric Motion Vector Wind		400–150 hPa 1000–700 hPa
1.7	BUOY	MSL Pressure	Surface

The monthly mean observed satellite wind (low (700 – 1000 hPa) and (high (150 – 400)) and the wind bias (observation – first guess) are shown in figures 2.1, 2.2, 2.3 and 2.4.

Data Availability (Number of Daily Reports)

Figures 3.1 – 3.7 are bar diagrams for all seven types of observations received at NCMRWF. Each figure represents number of observations of the particular type for each of the month.

Figure Observation Type

3.1	SYNOP
3.2	TEMP
3.3	PILOT
3.4	AIRCRAFT
3.5	Satellite Radiance
3.6	AMV Wind
3.7	BUOY

3. EXPLANATORY NOTE ON TABLES AND FIGURES

General

The material presented in this report is based on the data received by the IMD and relayed to NCMRWF. Analysis is performed for all the four synoptic hours (0000, 0006, 0012 and 0018 z) and, therefore the assimilation cycle of NGFS is run four times to produce the first-guess (six hour forecast) for the analysis step.

Data Availability

The average number of reports of each type received per day in a 5-degree square box and rounded off to the nearest integer is indicated for the whole globe (Figures 1.1 – 1.7). Four such numbers are actually displayed inside a 10-degree box for convenience. The integer 0 means that the average number of observations in the smaller box was less than 0.5. If no observations was received at all in the smaller box, then no number is printed for that smaller box.

Bar diagrams for the number of daily reports of a particular type received at NCMRWF are shown in Figures 3.1 to 3.7. This is important in monitoring the steadiness of the reception rate. It can be seen that on some days the number of reports received fall off drastically. In most of the cases they are traced to computer problems at the data reception centre.

Monitoring of Global Radiosonde Reports (Land) is based on the results of quality control steps within NGFS data assimilation cycle.

Table 1 presents the total number of land radiosonde reports received for the month (0000 and 0012 z) (WMO blocks 42 and 43), the number of hydrostatic errors detected in these reports by the CQC and the percent of corrections performed that are confident corrections.

Indian Data Frequency

Table 2 shows the number of times an upper air station within WMO blocks 42 or 43 reported in this month. The lists of stations are in accordance with the latest WMO directory. The numbers for 0000, 0006, 0012, and 0018 z are listed in separate columns. All stations that are expected to report are listed including those stations, which never report even once during the whole month. It is seen that there are variations in reporting frequencies.

Indian Data Quality

Tables 3–10 represent the results of quality monitoring statistics carried out at NCMRWF for the upper air stations under the WMO blocks 42 and 43 only. The conventional procedure is followed, which is that of first computing the normalized magnitude of the observation minus first guess interpolated to the observation point (the residual) and then comparing this value against a preset limit as well as checking the consistency of this value against similar values in the neighbourhood. The rationale of this approach is based on the work of A. Hollingsworth et al., Monthly Weather Review, Vol.114, No.5, May 1986, where the authors demonstrated the ability of modern data assimilation system to monitor the quality of an observational network. However, in the tropics these results have to be accepted with caution for two reasons:

- (1) As mentioned before, the above procedure assumed high quality first guess which is not guaranteed in data sparse area like the tropics.
- (2) Since small scale features like convection play a dominant role in the tropical atmosphere, sometimes there might be mismatch between this scale and that of the first guess which is determined by the forecast model.

Tables 3a and 3b present the number of observations received (count), rejection by the analysis (in percentage), standard deviation, total bias and root mean square error for the 100 hPa geopotential heights for 0000 and 0012 z respectively in units of meter. Tables 4a and 4b are the similar tables for 500 hPa geopotential heights. Tables 5a and 5b present similar results for 100 hPa dry temperatures and tables 6a and 6b present similar results for 500 hPa dry temperatures in units of kelvin. Tables 7a and 7b show similar results for 100 hPa zonal winds, and tables 8a and 8b similar results for 500 hPa zonal winds in units of m/s. Tables 9a and 9b show similar results for 100 hPa meridional winds and tables 10a 10b present similar results for 500 hPa meridional winds in units of m/s.

TABLE 2: TOTAL UPPER AIR REPORTS RECEIVED 1 2 2024 TO 29 2 2024
 FOR WMO BLOCK 42 AND 43 STATIONS ONLY

42809	CALCUTTA/DMDM	29 29	0 24	29 29	0 26
42867	NAGPUR SONEGN	29 29	0 27	29 29	0 25
42874	RAIPUR	29 27	0 0	29 29	0 0
42886	JHARSUGUDA	5 27	0 0	7 29	0 24
42895	BALASORE	0 26	0 0	0 29	0 27
42909	VERAVAL	0 27	0 0	0 28	0 28
42971	BHUBANESWAR	29 29	1 29	0 23	0 27
43003	BOMBAY/SANTCR	29 29	0 29	29 29	0 28
43014	AURNGABAD/AER	29 29	0 27	0 0	0 0
43041	JAGDALPUR	29 27	0 27	9 28	0 23
43049	GOPALPUR	17 17	0 0	0 29	0 27
43063	POONA	29 28	0 0	29 29	0 0
43110	RATNAGIRI	0 0	0 0	0 0	0 0
43128	HYDERABAD AER	29 29	29 29	29 29	29 28
43150	VISHAKHAPATNM	29 29	4 24	2 5	14 16
43185	MACHILIPATNAM	28 26	0 25	28 26	0 23
43192	GOA/PANJIM	0 0	0 0	0 0	0 0
43194	GOA/DABOLIM	0 0	0 0	0 0	0 0
43201	GADAG	23 23	0 0	28 28	25 26
43237	ANANTAPUR	0 0	0 0	0 0	0 0
43279	MADRAS/MINAMB	29 29	1 27	23 29	0 24
43284	MANG/BAJPE	0 0	0 0	0 0	0 0
43285	MANG/PANAMBUR	3 28	0 0	0 0	0 23
43295	BANGALORE	27 18	7 9	0 22	7 7
43311	AMINI DIVI	0 3	0 1	0 0	0 0
43333	PORT BLAIR	24 28	0 18	23 28	0 6
43344	TIRUCHIRAPLLI	0 0	0 0	0 0	0 0
43346	KARAIKAL	29 29	20 25	27 27	0 23
43353	COCHIN/WILING	26 26	0 0	18 18	0 0
43368	CAR NICOBAR	0 0	0 0	0 0	0 0
43369	MINICOY	29 28	0 9	23 22	0 5
43371	TRIVANDRUM	0 18	0 16	0 21	0 14
43373	TRIVANDRUM/TH	0 0	0 0	0 0	0 0

TABLE 3a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa GEOPOTENTIAL HEIGHT INCREMENTS - 01022024 to 29022024 (00Z)
UNIT IS GEOPOTENTIAL METERS

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	10	10	135.2	-51.0	144.5
42101	2	0	17.5	9.5	19.9
42111	18	0	14.4	-2.6	14.7
42182	28	0	17.1	-6.5	18.3
42314	21	9	53.3	58.4	79.1
42339	28	0	22.8	17.5	28.7
42348	28	0	24.4	43.3	49.7
42361	23	0	694.3	165.8	713.8
42369	28	10	318.0	-75.7	326.9
42399	19	10	286.8	49.6	291.1
42410	10	20	569.9	258.9	626.0
42492	3	0	0.5	-12.3	12.3
42623	2	0	2784.0	-2673.0	3859.5
42634	26	7	198.1	44.2	202.9
42647	29	3	27.7	-11.6	30.0
42667	15	0	13.8	15.1	20.5
42701	22	0	11.5	-19.0	22.2
42724	26	0	28.1	12.4	30.7
42809	24	0	113.9	15.7	115.0
42867	28	3	33.2	10.6	34.8
42874	27	3	62.9	30.9	70.1
42886	5	0	17.1	-4.6	17.7
42971	27	3	77.8	-3.7	77.9
43003	28	0	14.9	-2.3	15.1
43014	29	0	14.5	-8.6	16.8
43041	27	0	14.6	30.7	33.9
43049	17	0	15.1	14.8	21.1
43063	26	11	103.8	-41.8	111.9
43128	25	4	45.1	41.2	61.0
43150	27	0	11.3	4.1	12.0
43185	26	0	12.4	1.1	12.5
43279	29	0	19.1	18.5	26.6
43285	25	0	7.6	5.3	9.3
43295	22	13	1221.4	-230.3	1243.0
43333	20	0	19.1	-1.8	19.2
43346	27	0	27.2	20.0	33.8
43353	25	0	9.9	25.6	27.4
43369	17	35	763.8	546.4	939.1

TABLE 3b: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa GEOPOTENTIAL HEIGHT INCREMENTS - 01022024 to 29022024 (12Z)
UNIT IS GEOPOTENTIAL METERS

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	25	0	20.0	45.0	49.2
42056	25	4	209.7	14.2	210.2
42182	28	3	657.1	-84.1	662.5
42339	25	12	189.4	138.1	234.4
42348	29	24	31.6	121.6	125.6
42361	22	0	24.3	55.0	60.1
42369	1	0	0.0	7.0	7.0
42410	12	0	426.5	51.5	429.6
42647	29	3	87.1	30.9	92.4
42667	2	50	257.0	277.0	377.9
42724	1	0	0.0	43.0	43.0
42809	29	0	15.4	6.3	16.6
42867	29	3	59.1	55.5	81.1
42874	18	0	25.5	73.8	78.1
42886	7	0	12.3	21.9	25.1
43003	26	0	23.4	30.3	38.3
43041	8	0	10.6	65.4	66.2
43063	28	3	70.0	17.7	72.2
43128	22	22	543.0	49.8	545.3
43150	2	0	9.0	8.0	12.0
43185	26	0	19.8	43.9	48.2
43279	28	7	217.7	-5.2	217.8
43333	22	4	25.5	3.5	25.8
43346	24	12	26.8	79.5	83.9
43353	17	0	12.2	74.2	75.2
43369	7	28	111.4	135.4	175.4

TABLE 4a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa GEOPOTENTIAL HEIGHT INCREMENTS - 01022024 to 29022024 (00Z)
UNIT IS GEOPOTENTIAL METERS

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	19	10	86.6	-8.2	87.0
42101	19	5	16.3	1.3	16.4
42111	18	0	9.6	-5.8	11.2
42182	28	0	9.1	-5.7	10.7
42314	24	0	15.9	-0.1	15.9
42339	29	3	26.2	18.5	32.1
42348	29	10	25.2	50.3	56.3
42361	28	0	9.7	-4.9	10.9
42369	29	10	135.1	-33.5	139.2
42399	27	3	301.0	58.0	306.6
42410	26	0	10.7	13.3	17.1
42492	3	0	3.3	0.3	3.3
42623	24	16	565.1	-136.4	581.3
42634	26	0	7.7	-1.2	7.8
42647	29	0	6.5	-2.6	7.0
42667	15	0	8.2	18.2	20.0
42675	14	21	38.1	35.4	52.0
42701	26	0	7.2	-20.8	22.0
42724	28	0	227.9	55.6	234.6
42809	29	0	6.8	-4.4	8.1
42867	29	3	38.5	13.2	40.7
42874	28	3	83.4	36.7	91.1
42886	5	0	4.6	1.2	4.7
42971	29	3	37.1	14.3	39.7
43003	29	0	6.6	1.6	6.8
43014	29	0	7.1	-6.5	9.6
43041	29	3	68.5	39.0	78.8
43049	17	0	16.6	19.1	25.3
43063	26	11	29.2	-7.8	30.2
43128	28	7	57.9	29.6	65.0
43150	29	0	5.8	10.4	11.9
43185	26	0	5.6	-4.7	7.2
43279	29	0	60.6	20.5	64.0
43285	27	0	5.5	16.0	16.9
43295	22	13	481.9	-66.0	486.3
43333	21	0	9.0	-0.1	9.0
43346	27	3	32.4	16.7	36.4
43353	26	0	5.0	21.6	22.2
43369	25	12	88.4	53.8	103.5

TABLE 4b: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa GEOPOTENTIAL HEIGHT INCREMENTS - 01022024 to 29022024 (12Z)
UNIT IS GEOPOTENTIAL METERS

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	25	0	53.9	34.2	63.9
42056	26	7	95.3	7.5	95.6
42182	28	0	9.1	1.4	9.2
42339	27	11	22.7	46.4	51.6
42348	29	24	45.3	72.7	85.7
42361	29	0	7.9	5.1	9.4
42369	2	0	5.5	-3.5	6.5
42410	26	7	55.9	47.5	73.3
42647	29	0	10.1	9.5	13.9
42667	2	0	1.5	14.5	14.6
42724	1	0	0.0	52.0	52.0
42809	29	0	7.7	0.6	7.7
42867	29	0	75.7	31.0	81.8
42874	25	0	21.3	46.1	50.8
42886	7	0	5.2	9.4	10.8
43003	27	0	7.2	4.9	8.7
43041	9	11	14.8	48.3	50.5
43063	28	3	25.9	2.8	26.1
43128	27	11	266.2	107.7	287.1
43150	2	0	0.0	13.0	13.0
43185	26	0	5.8	7.7	9.6
43279	28	7	71.9	-1.0	71.9
43333	22	4	12.0	3.2	12.5
43346	26	11	23.9	41.7	48.0
43353	18	0	5.6	34.2	34.6
43369	6	0	20.9	27.2	34.3

TABLE 5a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa DRY TEMPERATURE INCREMENTS - 01022024 to 29022024 (00Z)
UNIT IS DEGREE KELVIN

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	10	10	0.9	-0.0	0.9
42101	1	0	0.0	-1.0	1.0
42111	18	0	3.4	0.6	3.5
42182	28	0	1.0	-0.1	1.0
42314	21	9	0.8	1.8	2.0
42339	28	0	1.2	0.0	1.2
42348	28	0	1.4	-0.4	1.4
42361	23	4	25.8	5.3	26.3
42369	28	10	3.3	-1.1	3.5
42399	19	10	1.4	-0.1	1.4
42410	10	20	19.8	9.7	22.0
42492	3	0	0.6	-1.0	1.1
42623	2	50	40.9	42.1	58.7
42634	26	7	10.4	2.4	10.6
42647	29	3	1.1	0.0	1.1
42667	15	0	1.2	-0.2	1.2
42701	22	0	1.3	-0.1	1.3
42724	26	0	0.9	0.1	0.9
42809	24	4	3.9	0.7	4.0
42867	28	3	1.2	0.4	1.2
42874	27	3	1.2	0.3	1.2
42886	5	0	0.3	-0.1	0.4
42971	27	3	1.2	-1.2	1.7
43003	28	0	1.4	0.0	1.4
43014	29	0	1.2	0.2	1.2
43041	27	0	1.0	0.6	1.2
43049	17	0	1.1	0.2	1.1
43063	26	11	1.6	-0.5	1.7
43128	25	4	1.4	0.7	1.6
43150	27	0	1.3	-0.3	1.3
43185	26	0	0.9	0.1	0.9
43279	29	0	0.8	-0.1	0.8
43285	25	0	0.7	-0.5	0.8
43295	21	9	1.5	0.3	1.5
43333	21	0	0.9	-1.0	1.3
43346	27	0	0.7	-0.2	0.7
43353	25	0	1.0	-0.4	1.0
43369	17	35	25.1	9.2	26.8

TABLE 5b: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa DRY TEMPERATURE INCREMENTS - 01022024 to 29022024 (12Z)

UNIT IS DEGREE KELVIN

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	25	0	1.2	0.5	1.3
42056	25	4	1.8	1.2	2.1
42182	28	3	15.7	4.1	16.2
42339	25	12	8.9	2.5	9.2
42348	29	24	1.4	1.2	1.8
42361	22	0	1.2	0.8	1.4
42369	1	0	0.0	0.3	0.3
42410	12	0	23.4	9.1	25.1
42647	29	3	1.3	1.2	1.8
42667	2	50	18.2	18.2	25.7
42724	1	0	0.0	0.2	0.2
42809	29	0	1.0	0.2	1.0
42867	29	3	2.6	1.4	2.9
42874	18	0	1.3	0.4	1.3
42886	7	0	1.1	-0.1	1.1
43003	26	0	1.4	1.2	1.8
43041	8	0	1.6	1.1	1.9
43063	28	3	1.4	1.1	1.8
43128	22	22	2.8	1.7	3.2
43150	2	0	0.2	0.3	0.4
43185	26	0	1.1	1.1	1.5
43279	28	7	1.4	0.6	1.5
43333	22	4	0.7	-0.3	0.8
43346	24	12	1.1	1.1	1.6
43353	17	0	1.0	1.0	1.4
43369	7	28	2.0	1.2	2.3

TABLE 6a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa DRY TEMPERATURE INCREMENTS - 01022024 to 29022024 (00Z)
UNIT IS DEGREE KELVIN

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	19	10	7.7	-3.1	8.3
42101	19	5	0.7	-0.3	0.7
42111	18	0	0.7	-0.4	0.8
42182	28	0	0.7	0.1	0.7
42314	24	0	1.2	-0.2	1.2
42339	29	0	0.8	-0.5	0.9
42348	29	3	1.1	-0.7	1.3
42361	28	0	1.5	-0.2	1.6
42369	29	10	5.5	-1.3	5.6
42399	27	3	2.0	-0.2	2.0
42410	26	0	0.8	0.1	0.8
42492	3	0	0.2	-0.3	0.4
42623	24	16	6.2	1.3	6.4
42634	26	0	0.6	-0.3	0.7
42647	29	0	0.9	-0.4	1.0
42667	15	0	1.1	0.3	1.1
42675	14	28	2.6	0.5	2.7
42701	26	0	0.7	0.1	0.7
42724	28	0	2.4	-0.8	2.5
42809	29	0	0.7	-0.5	0.9
42867	29	3	0.9	-0.2	0.9
42874	28	3	0.9	-0.3	0.9
42886	5	0	0.6	-0.5	0.8
42971	29	3	1.5	-0.7	1.7
43003	29	0	0.7	-0.2	0.7
43014	29	0	1.0	-0.3	1.0
43041	29	3	1.0	-0.5	1.1
43049	17	0	0.6	-0.5	0.8
43063	26	11	1.9	-1.3	2.3
43128	28	3	0.9	-0.6	1.0
43150	29	0	0.7	-0.4	0.8
43185	26	0	0.7	-0.6	0.9
43279	29	0	3.9	0.3	4.0
43285	27	0	0.5	-0.4	0.7
43295	21	9	1.0	-0.5	1.1
43333	21	0	1.0	-0.3	1.0
43346	27	0	0.8	-0.6	1.0
43353	26	0	0.9	-0.5	1.0
43369	25	12	0.9	-0.8	1.2

TABLE 6b: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa DRY TEMPERATURE INCREMENTS - 01022024 to 29022024 (12Z)

UNIT IS DEGREE KELVIN

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	25	0	3.5	0.4	3.5
42056	26	3	7.7	-1.5	7.8
42182	28	0	0.8	0.5	0.9
42339	27	7	0.5	0.3	0.6
42348	29	24	1.4	0.5	1.5
42361	29	0	0.7	0.3	0.8
42369	2	0	0.7	-0.6	0.9
42410	26	7	0.7	0.0	0.7
42647	29	0	0.8	-0.0	0.8
42667	2	0	0.2	-1.8	1.8
42724	1	0	0.0	-0.8	0.8
42809	29	0	0.9	-0.4	1.0
42867	29	0	0.9	-0.0	0.9
42874	25	0	0.7	0.2	0.7
42886	7	0	0.5	-0.1	0.5
43003	27	0	0.7	-0.0	0.7
43041	9	11	0.9	0.3	1.0
43063	28	3	1.3	-0.4	1.4
43128	28	10	1.8	-0.3	1.9
43150	2	0	0.6	-0.8	1.0
43185	26	0	0.7	0.3	0.7
43279	28	7	3.7	-1.0	3.8
43333	22	4	3.2	-1.3	3.4
43346	26	7	0.7	-0.1	0.7
43353	18	0	0.8	0.1	0.8
43369	6	0	0.2	0.5	0.5

TABLE 7a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa ZONAL WIND INCREMENTS - 01022024 to 29022024 (00Z)
UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	10	0	7.8	-3.2	8.5
42101	2	0	0.8	-2.0	2.2
42111	18	0	6.6	-3.5	7.5
42182	28	0	4.1	1.1	4.3
42314	21	0	3.6	-0.7	3.7
42339	28	0	3.3	-0.4	3.3
42348	28	0	3.1	-0.7	3.2
42361	23	0	4.2	0.8	4.3
42369	28	0	5.2	1.1	5.3
42399	19	0	3.8	1.0	3.9
42410	10	0	7.1	4.9	8.7
42492	3	0	0.7	2.8	2.9
42623	2	0	5.7	7.5	9.4
42634	26	0	4.1	-1.4	4.3
42647	29	0	3.2	-0.4	3.3
42667	15	0	2.3	-7.9	8.3
42701	24	0	3.5	0.1	3.5
42724	26	0	3.1	-0.4	3.1
42809	24	0	4.2	0.6	4.3
42867	28	0	3.6	-1.0	3.8
42874	27	0	2.8	-0.8	2.9
42886	5	0	2.8	1.0	3.0
42971	27	0	3.0	0.3	3.0
43003	28	0	3.3	-1.2	3.5
43014	29	0	5.0	0.2	5.0
43041	27	0	3.1	-0.8	3.2
43049	17	0	2.3	-1.3	2.7
43063	26	0	3.5	-1.0	3.7
43128	25	0	3.9	-1.4	4.1
43150	27	0	2.1	-1.0	2.4
43185	26	0	2.9	-0.7	3.0
43279	29	0	2.4	0.0	2.4
43285	26	0	2.6	-0.9	2.7
43295	22	0	2.3	-0.3	2.3
43333	21	0	2.4	-0.7	2.5
43346	27	0	2.9	-1.0	3.1
43353	25	0	2.1	-0.3	2.1
43369	17	0	4.7	-0.7	4.7

TABLE 7b: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa ZONAL WIND INCREMENTS - 01022024 to 29022024 (12Z)

UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	25	0	3.4	-0.4	3.5
42056	25	0	3.8	0.6	3.9
42182	28	0	6.8	0.7	6.9
42339	25	0	3.7	-1.8	4.2
42348	29	0	3.2	-0.7	3.3
42361	22	0	3.3	0.2	3.3
42369	1	0	0.0	-3.0	3.0
42410	12	0	3.4	1.2	3.6
42647	29	0	3.6	-0.3	3.6
42667	2	0	6.3	-3.1	7.0
42724	1	0	0.0	0.4	0.4
42809	29	0	2.9	-0.4	3.0
42867	29	0	3.9	-1.1	4.1
42874	18	0	3.4	-0.4	3.4
42886	7	0	3.5	1.1	3.7
43003	26	0	2.8	-1.0	3.0
43041	8	0	2.4	-1.1	2.6
43063	28	0	4.2	-1.7	4.6
43128	22	0	3.8	1.0	3.9
43150	2	0	1.1	-1.9	2.2
43185	26	0	2.9	-0.5	2.9
43279	28	0	3.3	-1.3	3.5
43333	22	0	3.1	-0.2	3.1
43346	24	0	2.2	-1.0	2.4
43353	17	0	3.9	-1.9	4.3
43369	7	0	4.0	-2.1	4.5

TABLE 8a: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa ZONAL WIND INCREMENTS - 01022024 to 29022024 (00Z)

UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	19	0	10.0	1.7	10.1
42101	19	0	3.1	-0.3	3.1
42111	18	0	2.6	-2.1	3.3
42182	28	0	2.7	1.0	2.9
42314	24	0	5.6	2.2	6.0
42339	29	0	2.9	0.6	3.0
42348	29	0	2.4	1.0	2.6
42361	28	0	2.4	1.1	2.6
42369	29	0	2.5	0.1	2.5
42399	27	0	3.5	2.0	4.0
42410	26	0	4.0	2.9	5.0
42492	3	0	3.4	1.9	3.9
42623	24	0	3.6	0.7	3.7
42634	26	0	1.9	0.5	2.0
42647	29	0	2.1	0.5	2.1
42667	15	0	2.4	-7.9	8.3
42675	14	0	1.4	0.6	1.6
42701	26	0	2.2	-1.7	2.8
42724	28	0	2.2	1.3	2.6
42809	29	0	2.0	0.8	2.1
42867	29	0	2.5	1.2	2.8
42874	28	0	2.2	0.0	2.2
42886	5	0	1.5	1.0	1.8
42971	29	0	2.0	0.1	2.0
43003	29	0	1.7	0.6	1.8
43014	29	0	2.4	0.9	2.6
43041	29	0	2.6	-0.0	2.6
43049	17	0	2.0	-0.5	2.1
43063	26	0	1.9	0.7	2.0
43128	28	0	2.1	0.0	2.1
43150	29	0	1.8	0.3	1.8
43185	26	0	1.4	0.5	1.5
43279	29	0	2.4	0.5	2.5
43285	27	0	1.8	0.5	1.9
43295	22	0	2.4	0.3	2.4
43333	22	0	5.6	-1.5	5.8
43346	27	0	1.8	0.6	1.9
43353	26	0	1.7	0.4	1.8
43369	25	0	2.4	0.5	2.5

TABLE 8b: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa ZONAL WIND INCREMENTS - 01022024 to 29022024 (12Z)

UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	25	0	4.0	-1.8	4.4
42056	26	0	3.2	0.1	3.2
42182	28	0	2.9	1.5	3.3
42339	27	0	3.3	-0.2	3.3
42348	29	0	2.3	0.6	2.4
42361	29	0	2.7	0.9	2.8
42369	2	0	3.7	2.2	4.3
42410	26	0	3.0	2.4	3.8
42647	29	0	2.6	1.1	2.8
42667	2	0	0.9	-10.8	10.8
42724	1	0	0.0	1.8	1.8
42809	29	0	2.2	1.3	2.6
42867	29	0	2.6	1.2	2.8
42874	25	0	4.8	-1.8	5.2
42886	7	0	1.7	0.7	1.8
43003	27	0	2.2	0.9	2.4
43041	9	0	1.5	0.2	1.5
43063	28	0	2.0	0.3	2.0
43128	27	0	2.0	0.2	2.0
43150	2	0	1.3	0.4	1.4
43185	26	0	2.1	-0.2	2.1
43279	28	0	2.3	1.8	2.9
43333	20	0	1.9	-0.6	2.0
43346	26	0	1.6	-0.2	1.6
43353	18	0	1.5	-0.0	1.5
43369	6	0	2.0	-0.6	2.1

TABLE 9a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa MERIDIONAL WIND INCREMENTS - 01022024 to 29022024 (00Z)
UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	10	0	5.3	2.2	5.8
42101	2	0	2.8	-1.4	3.1
42111	18	0	3.9	-1.3	4.1
42182	28	0	5.0	2.3	5.5
42314	21	0	5.4	0.0	5.4
42339	28	0	4.8	-0.5	4.8
42348	28	0	4.6	0.5	4.6
42361	23	0	4.1	-0.7	4.1
42369	28	0	5.0	3.0	5.8
42399	19	0	4.7	0.3	4.7
42410	10	0	4.9	-4.0	6.3
42492	3	0	3.5	3.1	4.7
42623	2	0	2.8	4.3	5.1
42634	26	0	4.7	0.3	4.7
42647	29	0	4.7	-0.0	4.7
42667	15	0	3.9	-11.7	12.3
42701	24	0	3.0	0.5	3.1
42724	26	0	3.5	0.5	3.5
42809	24	0	7.3	-1.5	7.4
42867	28	0	3.3	-0.6	3.3
42874	27	0	4.2	-1.3	4.4
42886	5	0	3.6	0.7	3.6
42971	27	0	4.3	-0.6	4.4
43003	28	0	4.1	0.4	4.1
43014	29	0	4.3	-0.2	4.3
43041	27	0	3.4	0.1	3.4
43049	17	0	4.6	-0.6	4.7
43063	26	0	4.4	0.1	4.4
43128	25	0	3.5	0.6	3.6
43150	27	0	3.9	0.7	3.9
43185	26	0	2.7	-0.5	2.7
43279	29	0	3.9	1.6	4.2
43285	26	0	3.9	1.1	4.0
43295	22	0	4.9	-0.6	5.0
43333	21	0	4.2	-0.3	4.2
43346	27	0	3.1	0.9	3.2
43353	25	0	2.7	-0.6	2.8
43369	17	0	4.3	3.0	5.2

TABLE 9b: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa MERIDIONAL WIND INCREMENTS - 01022024 to 29022024 (12Z)
UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	25	0	4.5	0.0	4.5
42056	25	0	4.0	-0.5	4.0
42182	28	0	4.3	0.3	4.3
42339	25	0	4.1	-0.5	4.1
42348	29	0	4.5	0.6	4.5
42361	22	0	4.0	0.2	4.0
42369	1	0	0.0	-6.4	6.4
42410	12	0	4.7	0.1	4.7
42647	29	0	5.5	-0.3	5.5
42667	2	0	4.1	-14.0	14.6
42724	1	0	0.0	-4.6	4.6
42809	29	0	4.3	-0.3	4.3
42867	29	0	3.6	-0.7	3.6
42874	18	0	6.3	-2.2	6.7
42886	7	0	5.8	-3.3	6.7
43003	26	0	4.5	-0.2	4.5
43041	8	0	6.1	-0.7	6.1
43063	28	0	3.9	0.1	3.9
43128	22	0	5.7	-2.4	6.1
43150	2	0	2.5	1.4	2.9
43185	26	0	3.4	0.2	3.4
43279	28	0	3.8	-0.3	3.8
43333	22	0	2.8	0.8	2.9
43346	24	0	3.2	1.1	3.4
43353	17	0	3.5	1.3	3.7
43369	7	0	3.7	0.3	3.7

TABLE 10a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa MERIDIONAL WIND INCREMENTS - 01022024 to 29022024 (00Z)
UNIT IS METER/SEC

STNID	COUNT	%REJ C	SD	BIAS	RMS
42027	19	0	3.0	1.1	3.2
42101	19	0	3.1	0.4	3.1
42111	18	0	2.3	-0.7	2.5
42182	28	0	3.1	0.4	3.1
42314	24	0	2.9	1.1	3.1
42339	29	0	2.6	0.7	2.7
42348	29	0	3.1	0.7	3.2
42361	28	0	1.8	-0.4	1.8
42369	29	0	2.9	0.7	3.0
42399	27	0	3.2	0.3	3.2
42410	26	0	2.9	0.0	2.9
42492	3	0	3.2	-2.8	4.2
42623	24	0	3.4	-1.2	3.6
42634	26	0	2.9	0.5	2.9
42647	29	0	1.8	0.4	1.9
42667	15	0	5.5	-9.6	11.1
42675	14	0	1.9	0.6	2.0
42701	26	0	3.0	1.6	3.4
42724	28	0	2.2	-0.4	2.2
42809	29	0	2.9	0.1	2.9
42867	29	0	2.5	-0.4	2.5
42874	28	0	2.4	-0.7	2.5
42886	5	0	1.9	-1.0	2.2
42971	29	0	3.0	0.5	3.0
43003	29	0	3.0	-0.1	3.1
43014	29	0	2.8	-0.4	2.8
43041	29	0	2.9	-1.1	3.1
43049	17	0	2.8	0.3	2.8
43063	26	0	2.6	-0.2	2.6
43128	28	0	2.5	-0.3	2.5
43150	29	0	2.4	0.3	2.4
43185	26	0	1.8	0.1	1.8
43279	29	0	2.4	-0.5	2.5
43285	27	0	2.2	-0.6	2.3
43295	22	0	2.8	-1.3	3.1
43333	22	0	3.8	-1.1	4.0
43346	27	0	2.4	0.5	2.4
43353	26	0	2.7	0.8	2.8
43369	25	0	2.6	-0.6	2.7

TABLE 10b: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa MERIDIONAL WIND INCREMENTS - 01022024 to 29022024 (12Z)
UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	25	0	3.7	2.1	4.3
42056	26	0	4.0	-0.6	4.1
42182	28	0	2.8	-0.4	2.9
42339	27	0	2.9	0.7	3.0
42348	29	0	3.0	-0.4	3.0
42361	29	0	2.5	-0.3	2.5
42369	2	0	3.9	-2.0	4.4
42410	26	0	2.5	0.9	2.7
42647	29	0	2.8	-0.4	2.8
42667	2	0	3.2	-11.9	12.4
42724	1	0	0.0	0.5	0.5
42809	29	0	2.8	0.0	2.8
42867	29	0	2.6	0.8	2.8
42874	25	0	3.1	0.6	3.2
42886	7	0	1.6	0.3	1.6
43003	27	0	2.8	-0.4	2.8
43041	9	0	1.9	0.9	2.1
43063	28	0	2.6	-0.2	2.6
43128	27	0	2.3	-0.8	2.5
43150	2	0	1.7	-2.6	3.0
43185	26	0	2.0	0.5	2.0
43279	28	0	2.9	-0.6	2.9
43333	20	0	2.3	-0.0	2.3
43346	26	0	1.7	-0.1	1.8
43353	18	0	2.4	0.6	2.5
43369	6	0	2.3	-0.7	2.4

NCMRWF Monitoring Statistics

Availability - SYNOP/SHIP PRESSURE

Average number of observations in 24 hours - 79959

LAND - WMO REGION I: 5121 II:13973 III: 1878 IV: 5364 V:13371 VI:18570 VII: 769

OCEAN - N. Atlantic: 9131 S. Atlantic: 1327 Indian: 2917 Pacific: 6681




Fig 1.1




Fig 1.2

NCMWF Monitoring Statistics

Availability – TEMP/PILOT 300 hPa wind

Average number of observations in 24 hours – 1470

LAND – WMO REGION I: 49 II: 532 III: 83 IV: 338 V: 214 VI: 195 VII: 17

OCEAN – N. Atlantic: 0 S. Atlantic: 0 Indian: 0 Pacific: 0




Fig 1.3

NCMRWF Monitoring Statistics 01 02 24
 Availability – AIRCRAFT winds 300–150 hPa
 Average number of observations in 24 hours – 113480




Fig 1.4

NCMRWF Monitoring Statistics 01 02 24 TO 29 02 24
 Availability – NOAA 18 ATOVS : AMSU-A
 Average number of observations in 24 hours – 214209




Fig 1.5




Fig 1.6(a)

NCMRWF Monitoring Statistics 01 02 24 TO 29 02 24
 Availability – AMV winds 1000–700 hPa
 Average number of observations in 24 hours – 412305





Fig 1.6(b)

NCMRWF Monitoring Statistics 01 02 24 TO 29 02 24

Availability – BUOY PRESSURE

Average number of observations in 24 hours – 29874

OCEAN – N. Atlantic: 7675 S. Atlantic: 1886 Indian: 3367 Pacific: 16601



NCMRWF Monitoring Statistics: February 2024

AMV WINDS: 700 - 1000 hPa Mean Observed Wind




Fig 2.1

NCMRWF Monitoring Statistics: February 2024

AMV WINDS: 700 - 1000 hPa

WIND BIAS: Observation - First Guess




Fig 2.2

NCMRWF Monitoring Statistics: February 2024

AMV WINDS: 150 – 400 hPa

Mean Observed Wind




Fig 2.8

NCMRWF Monitoring Statistics: February 2024

AMV WINDS: 150 - 400 hPa

WIND BIAS: Observation - First Guess




Fig 2.4

Monthly DWR data monitoring at NCMRWf for February 2024(%)

