



NMRF/OR/06/2024



OBSERVATION REPORT

NCMRWF MONTHLY DATA MONITORING REPORT

June 2024

* Permission to quote from this report should be obtained from Head, NCMRWF.

**National Centre for Medium Range Weather Forecasting
Ministry of Earth Sciences, Government of India
A-50, Sector-62, NOIDA-201309, INDIA**

CONTENTS

	Page
1. Introduction	3
2. NCMRWF Monitoring Statistics	4
3. Explanatory note on tables and figures	5
4. Table-1 : Results of Complex Quality Control of Radiosonde	7
5. Table-2 : Total Upper Air Data Reports	8
6. Table-3a : 100 hPa Geo-potential Height Increments for 00z	9
7. Table-3b : 100 hPa Geo-potential Height Increments for 12z	10
8. Table-4a : 500 hPa Geo-potential Height Increments for 00z	11
9. Table-4b : 500 hPa Geo-potential Height Increments for 12z	12
10. Table-5a : 100 hPa Dry Temperature Increments for 00z	13
11. Table-5b : 100 hPa Dry Temperature Increments for 12z	14
12. Table-6a : 500 hPa Dry Temperature Increments for 00z	15
13. Table-6b : 500 hPa Dry Temperature Increments for 12z	16
14. Table-7a : 100 hPa Zonal Wind Increments for 00z	17
15. Table-7b : 100 hPa Zonal Wind Increments for 12z	18
16. Table-8a : 500 hPa Zonal Wind Increments for 00z	20
17. Table-8b : 500 hPa Zonal Wind Increments for 12z	21
18. Table-9a : 100 hPa Meridional Wind Increments for 00z	22
19. Table-9b : 100 hPa Meridional Wind Increments for 12z	23
20. Table-10a: 500 hPa Meridional Wind Increments for 00z	24
21. Table-10b: 500 hPa Meridional Wind Increments for 12z	25
22. Global Charts for Seven Types of Observations	
i) SYNOP Pressure	Fig 1.1
ii) TEMP 500 hPa Geopotential	Fig 1.2
iii) TEMP/PILOT 300 hPa Wind	Fig 1.3
iv) AIRCRAFT Winds 150–300 hPa	Fig 1.4
v) NOAA-18 ATOVS : AMSU-A	Fig 1.5
vi) AMV Winds 400–150 hPa	Fig 1.6(a)
vii) AMV Winds 1000–700 hPa	Fig 1.6(b)
viii) Buoy Pressure	Fig 1.7
23. AMV WINDS (Mean Observed): 700 – 1000 hPa	Fig 2.1
24. AMV WINDS (Wind Bias): 700 – 1000 hPa	Fig 2.2
25. AMV WINDS (Mean Observed): 150 – 400 hPa	Fig 2.3
26. AMV WINDS (Wind Bias): 150 – 400 hPa	Fig 2.4
27. Doppler Weather Radar (DWR) Data Monitoring at NCMRWF	38

1. INTRODUCTION

As a monthly publication, the NCMRWF Data Monitoring Report presents a general view of the data availability for the whole month. Data produced by the Global Observation System, transmitted through the Global Telecommunication System (GTS) are received by the India Meteorological Department (IMD) at New Delhi is relayed to the NCMRWF data processing system. This report consists of the results of monitoring of all the data received at NCMRWF within the global data assimilation cycle cut-off period (~4 hours). Besides quantity monitoring, the report also presents results of quality monitoring for the Indian sub-continent (blocks 42 and 43) RSRW Data.

Objective monitoring of the quality of the data (for blocks 42 and 43 only) is undertaken by NCMRWF as a monthly activity. Tables are prepared following the Commission for Basic System (CBS) recommended format so that the monitoring results can be readily compared with those from other meteorological centers. This is an important task, because frequent comparisons of this kind are absolutely necessary for the improvement of the quality of the Tropical data.

Following the established procedure at other major weather forecasting centers, the first guesses produced by the Global Data Assimilation System (GDAS) (NGFS) have been used in determining data quality. This approach assumes a very accurate first guess, which is not necessarily valid in data sparse regions like the tropics and also due to the model systematic errors. As a result the quality monitoring of tropical data is a difficult task and any judgement has to be arrived carefully.

Comments and Suggestions are welcome and should be send to:
Director, NCMRWF
Ministry of Earth Sciences,
A-50, Sector-62,
NOIDA (U.P.) – 201 309, INDIA.

2. NCMRWF MONITORING STATISTICS

Availability (global) and data quality (for WMO blocks 42 and 43 only) are presented in figures and tables, of which only a brief descriptions are given below.

Data Availability (Monthly average of Global Observations)

Figures 1.1 – 1.7 are global charts for all seven types of observations, received at NCMRWF. Each number is the average for 24 hours, over all observations of the particular type received in a 5-degree box.

Figure	Observation Type	Parameter	Level/Layer
1.1	SYNOP/SHIP	MSL Pressure	Surface
1.2	TEMP	Geo-potential	500 hPa
1.3	TEMP/PILOT	Wind	300 hPa
1.4	AIRCRAFT	Wind	300 to 150 hPa
1.5	Satellite Sounding	Radiance	All
1.6	Atmospheric Motion Vector Wind		400–150 hPa 1000–700 hPa
1.7	BUOY	MSL Pressure	Surface

The monthly mean observed satellite wind (low (700 – 1000 hPa) and (high (150 – 400)) and the wind bias (observation – first guess) are shown in figures 2.1, 2.2, 2.3 and 2.4.

Data Availability (Number of Daily Reports)

Figures 3.1 – 3.7 are bar diagrams for all seven types of observations received at NCMRWF. Each figure represents number of observations of the particular type for each of the month.

Figure Observation Type

3.1	SYNOP
3.2	TEMP
3.3	PILOT
3.4	AIRCRAFT
3.5	Satellite Radiance
3.6	AMV Wind
3.7	BUOY

3. EXPLANATORY NOTE ON TABLES AND FIGURES

General

The material presented in this report is based on the data received by the IMD and relayed to NCMRWF. Analysis is performed for all the four synoptic hours (0000, 0006, 0012 and 0018 z) and, therefore the assimilation cycle of NGFS is run four times to produce the first-guess (six hour forecast) for the analysis step.

Data Availability

The average number of reports of each type received per day in a 5-degree square box and rounded off to the nearest integer is indicated for the whole globe (Figures 1.1 – 1.7). Four such numbers are actually displayed inside a 10-degree box for convenience. The integer 0 means that the average number of observations in the smaller box was less than 0.5. If no observations was received at all in the smaller box, then no number is printed for that smaller box.

Bar diagrams for the number of daily reports of a particular type received at NCMRWF are shown in Figures 3.1 to 3.7. This is important in monitoring the steadiness of the reception rate. It can be seen that on some days the number of reports received fall off drastically. In most of the cases they are traced to computer problems at the data reception centre.

Monitoring of Global Radiosonde Reports (Land) is based on the results of quality control steps within NGFS data assimilation cycle.

Table 1 presents the total number of land radiosonde reports received for the month (0000 and 0012 z) (WMO blocks 42 and 43), the number of hydrostatic errors detected in these reports by the CQC and the percent of corrections performed that are confident corrections.

Indian Data Frequency

Table 2 shows the number of times an upper air station within WMO blocks 42 or 43 reported in this month. The lists of stations are in accordance with the latest WMO directory. The numbers for 0000, 0006, 0012, and 0018 z are listed in separate columns. All stations that are expected to report are listed including those stations, which never report even once during the whole month. It is seen that there are variations in reporting frequencies.

Indian Data Quality

Tables 3–10 represent the results of quality monitoring statistics carried out at NCMRWF for the upper air stations under the WMO blocks 42 and 43 only. The conventional procedure is followed, which is that of first computing the normalized magnitude of the observation minus first guess interpolated to the observation point (the residual) and then comparing this value against a preset limit as well as checking the consistency of this value against similar values in the neighbourhood. The rationale of this approach is based on the work of A. Hollingsworth et al., Monthly Weather Review, Vol.114, No.5, May 1986, where the authors demonstrated the ability of modern data assimilation system to monitor the quality of an observational network. However, in the tropics these results have to be accepted with caution for two reasons:

- (1) As mentioned before, the above procedure assumed high quality first guess which is not guaranteed in data sparse area like the tropics.
- (2) Since small scale features like convection play a dominant role in the tropical atmosphere, sometimes there might be mismatch between this scale and that of the first guess which is determined by the forecast model.

Tables 3a and 3b present the number of observations received (count), rejection by the analysis (in percentage), standard deviation, total bias and root mean square error for the 100 hPa geopotential heights for 0000 and 0012 z respectively in units of meter. Tables 4a and 4b are the similar tables for 500 hPa geopotential heights. Tables 5a and 5b present similar results for 100 hPa dry temperatures and and tables 6a and 6b present similar results for 500 hPa dry temperatures in units of kelvin. Tables 7a and 7b show similar results for 100 hPa zonal winds, and tables 8a and 8b similar results for 500 hPa zonal winds in units of m/s. Tables 9a and 9b show similar results for 100 hPa meridional winds and tables 10a 10b present similar results for 500 hPa meridional winds in units of m/s.

TABLE 2: TOTAL UPPER AIR REPORTS RECEIVED 1 6 2024 TO 30 6 2024
 FOR WMO BLOCK 42 AND 43 STATIONS ONLY

42809	CALCUTTA/DMDM	28 30	0 24	29 29	0 19
42867	NAGPUR SONEGN	30 29	0 30	29 29	0 30
42874	RAIPUR	28 27	0 0	27 28	0 0
42886	JHARSUGUDA	13 29	0 0	14 27	0 24
42895	BALASORE	0 26	0 0	0 30	0 29
42909	VERAVAL	0 18	0 0	0 30	0 17
42971	BHUBANESWAR	30 30	0 24	0 30	0 29
43003	BOMBAY/SANTCR	29 29	0 30	30 29	0 30
43014	AURNGABAD/AER	30 29	0 30	0 0	0 29
43041	JAGDALPUR	30 30	0 30	19 21	0 26
43049	GOPALPUR	0 28	0 0	0 30	0 29
43063	POONA	28 27	0 0	29 28	0 0
43110	RATNAGIRI	0 0	0 0	0 0	0 0
43128	HYDERABAD AER	29 28	15 9	30 30	11 7
43150	VISHAKHAPATNM	26 27	11 22	0 5	18 18
43185	MACHILIPATNAM	30 29	0 26	30 30	0 30
43192	GOA/PANJIM	0 28	0 0	0 26	0 0
43194	GOA/DABOLIM	0 0	0 0	0 0	0 0
43201	GADAG	28 29	0 0	25 28	29 29
43237	ANANTAPUR	0 0	0 0	0 0	0 0
43279	MADRAS/MINAMB	22 22	0 25	19 22	0 25
43284	MANG/BAJPE	0 0	0 0	0 0	0 0
43285	MANG/PANAMBUR	0 28	0 3	0 16	0 15
43295	BANGALORE	24 24	6 7	13 26	6 6
43311	AMINI DIVI	6 22	0 0	4 25	0 0
43333	PORT BLAIR	30 30	12 29	0 28	12 28
43344	TIRUCHIRAPLLI	0 0	0 0	0 0	0 0
43346	KARAIKAL	29 29	0 28	23 23	0 25
43353	COCHIN/WILING	30 30	0 0	23 23	0 0
43368	CAR NICOBAR	0 0	0 0	0 0	0 0
43369	MINICOY	30 30	0 0	28 28	0 0
43371	TRIVANDRUM	22 27	0 10	22 29	0 9
43373	TRIVANDRUM/TH	0 0	0 0	0 0	0 0

TABLE 3a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa GEOPOTENTIAL HEIGHT INCREMENTS - 01062024 to 30062024 (00Z)
UNIT IS GEOPOTENTIAL METERS

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	26	3	402.9	117.6	419.7
42056	10	20	46.9	78.8	91.7
42079	17	5	763.5	-132.2	774.8
42101	8	0	15.3	5.4	16.2
42111	28	3	209.1	87.0	226.5
42182	30	3	51.9	20.5	55.8
42314	18	5	97.3	31.8	102.4
42339	25	4	87.1	18.2	89.0
42348	29	6	30.9	65.0	72.0
42361	15	6	68.0	-1.5	68.1
42399	17	5	31.4	54.2	62.7
42410	26	3	71.4	50.9	87.7
42492	30	3	36.0	16.8	39.7
42623	18	33	1001.4	-61.9	1003.3
42634	26	0	19.9	9.7	22.1
42647	30	0	17.5	11.1	20.8
42675	26	0	13.9	43.4	45.6
42701	29	6	65.4	-22.1	69.0
42724	22	4	168.4	102.0	196.9
42809	28	0	18.3	33.8	38.4
42867	28	0	14.2	41.5	43.9
42874	22	4	47.6	37.2	60.4
42886	13	0	14.8	42.5	45.0
42971	28	0	12.7	24.0	27.1
43003	27	0	507.3	117.7	520.8
43014	27	0	16.8	5.7	17.7
43041	29	0	15.6	45.7	48.3
43063	25	4	34.9	28.9	45.3
43128	25	0	38.8	37.8	54.2
43150	22	0	10.9	17.3	20.4
43185	25	0	24.0	50.6	56.1
43279	15	6	38.4	35.7	52.4
43295	23	17	612.3	201.3	644.5
43333	27	0	15.6	11.1	19.2
43346	29	3	103.2	19.2	105.0
43353	27	0	17.6	31.7	36.3
43369	17	23	56.1	127.4	139.2

TABLE 3b: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa GEOPOTENTIAL HEIGHT INCREMENTS - 01062024 to 30062024 (12Z)
UNIT IS GEOPOTENTIAL METERS

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	28	3	101.6	59.5	117.7
42056	24	0	20.7	72.0	74.9
42079	3	33	718.2	-420.3	832.2
42101	2	0	42.0	68.0	79.9
42111	5	0	12.2	74.4	75.4
42182	30	3	139.8	66.3	154.7
42314	9	22	76.8	83.7	113.6
42339	23	0	23.0	83.3	86.5
42348	25	40	159.0	162.3	227.2
42361	16	0	36.2	39.6	53.7
42410	29	0	17.6	40.6	44.2
42647	27	0	36.6	53.0	64.4
42724	24	8	63.4	102.5	120.5
42809	26	0	22.4	36.6	42.9
42867	25	4	51.3	102.3	114.4
42874	15	13	66.3	97.7	118.0
42886	11	9	65.3	29.2	71.6
43003	27	0	38.0	64.4	74.8
43041	9	11	17.2	99.1	100.6
43063	24	16	63.4	73.2	96.9
43128	17	11	55.0	106.2	119.6
43185	30	10	429.0	8.2	429.0
43279	19	5	37.2	69.6	78.9
43346	22	13	25.9	85.0	88.9
43353	19	5	159.0	100.3	188.0
43369	2	100	2.5	162.5	162.5

- 12 -

TABLE 4a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa GEOPOTENTIAL HEIGHT INCREMENTS - 01062024 to 30062024 (00Z)
UNIT IS GEOPOTENTIAL METERS

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	29	0	14.7	16.3	21.9
42056	10	20	45.3	17.9	48.7
42079	21	9	34.4	9.7	35.7
42101	14	14	192.9	-88.6	212.3
42111	27	0	9.2	-2.8	9.6
42182	30	0	8.9	-2.5	9.2
42314	24	4	27.1	4.5	27.4
42339	25	0	23.9	26.7	35.8
42348	30	13	30.5	63.2	70.1
42361	17	11	28.7	-9.8	30.4
42399	19	5	19.2	22.5	29.6
42410	27	0	8.7	8.7	12.3
42492	30	3	13.2	8.2	15.5
42623	30	3	12.4	21.0	24.4
42634	29	0	9.3	2.2	9.5
42647	30	0	6.6	2.6	7.1
42675	26	0	5.7	15.9	16.9
42701	29	3	16.8	-26.1	31.0
42724	25	4	205.7	66.3	216.1
42809	28	0	6.9	9.1	11.5
42867	30	0	7.0	18.5	19.8
42874	25	0	19.9	23.3	30.6
42886	13	0	4.9	2.2	5.4
42971	29	3	30.9	11.5	33.0
43003	29	0	6.5	1.2	6.6
43014	30	0	7.1	3.6	8.0
43041	30	0	15.8	25.5	30.0
43063	27	0	6.6	1.3	6.7
43128	28	0	8.4	0.3	8.4
43150	25	0	6.1	7.5	9.6
43185	27	3	18.0	19.1	26.2
43279	22	0	5.9	14.0	15.2
43295	26	26	285.6	117.0	308.6
43333	30	0	6.3	-0.3	6.3
43346	29	3	139.5	3.8	139.6
43353	30	0	9.2	24.8	26.4
43369	28	0	6.4	15.0	16.3

TABLE 4b: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa GEOPOTENTIAL HEIGHT INCREMENTS - 01062024 to 30062024 (12Z)
UNIT IS GEOPOTENTIAL METERS

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	29	3	30.9	17.8	35.7
42056	24	0	21.8	35.5	41.6
42079	6	16	40.3	-4.8	40.6
42101	3	0	33.7	24.0	41.3
42111	5	0	7.8	2.0	8.0
42182	30	3	9.3	2.7	9.7
42314	9	0	12.0	-28.6	31.0
42339	23	0	25.2	39.5	46.8
42348	27	48	68.1	84.7	108.6
42361	17	0	11.0	4.2	11.7
42410	30	0	6.8	11.3	13.2
42647	29	0	11.0	10.8	15.4
42724	25	12	83.0	67.0	106.6
42809	27	3	31.4	14.0	34.4
42867	24	0	13.3	24.4	27.8
42874	21	4	80.6	58.5	99.6
42886	14	7	19.9	-2.4	20.0
43003	27	0	8.6	7.9	11.6
43041	17	0	15.7	36.5	39.7
43063	27	7	17.5	2.4	17.7
43128	26	3	11.2	7.8	13.7
43185	28	0	510.0	-81.6	516.4
43279	20	5	36.0	25.1	43.9
43346	23	13	27.4	44.2	52.0
43353	23	0	6.2	30.9	31.5
43369	24	4	26.1	11.6	28.6

TABLE 5a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa DRY TEMPERATURE INCREMENTS - 01062024 to 30062024 (00Z)
UNIT IS DEGREE KELVIN

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	26	3	17.3	4.5	17.9
42056	10	20	1.0	1.1	1.5
42079	17	5	3.0	2.2	3.7
42101	8	0	1.0	-1.2	1.5
42111	28	3	1.3	0.9	1.6
42182	30	3	6.9	1.4	7.1
42314	18	5	1.4	0.4	1.4
42339	25	4	1.2	0.4	1.3
42348	29	6	1.1	0.4	1.2
42361	15	6	1.4	1.0	1.8
42399	17	5	1.3	-0.1	1.3
42410	26	3	2.7	-0.3	2.8
42492	30	3	1.2	0.1	1.2
42623	18	33	3.9	2.6	4.7
42634	26	0	0.9	0.3	0.9
42647	30	0	1.2	0.0	1.2
42675	26	0	1.5	0.6	1.6
42701	28	7	1.0	-0.6	1.1
42724	22	4	1.7	1.2	2.1
42809	28	0	1.0	0.6	1.1
42867	28	0	1.2	1.1	1.7
42874	22	4	18.5	5.2	19.2
42886	13	0	0.8	1.5	1.7
42971	29	0	1.0	-0.6	1.1
43003	27	0	18.4	3.6	18.7
43014	27	0	1.1	-0.2	1.1
43041	29	0	1.6	1.3	2.1
43063	25	4	1.2	0.2	1.3
43128	25	0	1.3	1.5	2.0
43150	22	0	1.2	-0.3	1.2
43185	25	0	1.7	0.3	1.7
43279	15	6	1.2	-0.6	1.3
43295	23	17	18.4	3.9	18.8
43333	27	0	1.4	-0.8	1.7
43346	29	3	1.2	0.5	1.3
43353	27	0	1.2	-0.5	1.3
43369	17	23	2.4	1.1	2.6

TABLE 5b: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa DRY TEMPERATURE INCREMENTS - 01062024 to 30062024 (12Z)

UNIT IS DEGREE KELVIN

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	28	3	2.3	0.7	2.4
42056	24	0	0.8	0.8	1.2
42079	3	33	4.1	5.3	6.7
42101	2	0	1.2	-0.2	1.3
42111	5	0	1.1	2.2	2.5
42182	30	3	6.6	2.1	6.9
42314	9	22	2.9	2.1	3.6
42339	23	0	1.3	1.1	1.7
42348	25	40	9.1	3.2	9.7
42361	16	0	1.4	1.3	1.9
42410	29	0	1.0	0.7	1.2
42647	27	0	1.0	0.7	1.3
42724	24	8	1.4	1.3	1.9
42809	26	0	1.2	0.4	1.2
42867	25	4	1.0	1.5	1.8
42874	15	13	1.1	0.3	1.2
42886	11	9	2.3	-0.0	2.3
43003	27	0	1.3	1.0	1.7
43041	9	11	1.5	1.0	1.8
43063	24	16	1.4	0.9	1.7
43128	17	11	3.4	3.0	4.5
43185	30	10	2.6	2.4	3.5
43279	19	5	1.7	0.4	1.7
43346	22	13	1.2	1.9	2.2
43353	19	5	9.8	3.2	10.3
43369	2	100	6.6	7.9	10.3

TABLE 6a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa DRY TEMPERATURE INCREMENTS - 01062024 to 30062024 (00Z)
UNIT IS DEGREE KELVIN

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	29	3	1.8	-1.0	2.1
42056	10	20	1.3	-0.1	1.3
42079	21	9	3.4	0.8	3.5
42101	13	15	3.4	-1.2	3.6
42111	27	0	0.8	0.0	0.8
42182	30	0	1.0	-0.4	1.1
42314	24	4	1.6	-1.6	2.3
42339	25	0	1.2	-0.8	1.5
42348	30	10	1.1	-1.1	1.6
42361	17	11	1.8	-0.6	1.8
42399	19	5	1.0	-0.8	1.3
42410	27	0	0.7	-1.1	1.3
42492	30	3	0.9	-0.7	1.2
42623	30	3	1.2	-0.2	1.2
42634	29	0	0.9	-0.5	1.0
42647	30	0	1.1	-0.6	1.3
42675	26	0	1.0	-0.6	1.1
42701	29	3	1.1	-0.9	1.4
42724	25	4	1.0	-0.6	1.2
42809	28	0	0.9	-0.6	1.1
42867	30	0	0.9	-0.4	1.0
42874	25	0	0.9	-0.8	1.2
42886	13	0	0.6	-1.0	1.2
42971	28	0	0.6	-0.9	1.0
43003	29	0	0.8	-0.9	1.2
43014	30	0	0.8	-1.1	1.3
43041	30	0	0.8	-0.5	0.9
43063	27	0	0.6	-0.8	1.0
43128	28	0	1.0	-0.8	1.3
43150	25	0	0.8	-0.3	0.8
43185	27	3	1.4	0.0	1.4
43279	22	0	0.8	-0.8	1.1
43295	26	26	15.0	-3.4	15.4
43333	30	0	0.8	-0.9	1.2
43346	29	3	0.9	-0.3	1.0
43353	30	0	0.5	-0.4	0.7
43369	28	0	0.7	-0.1	0.7

TABLE 6b: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa DRY TEMPERATURE INCREMENTS - 01062024 to 30062024 (12Z)

UNIT IS DEGREE KELVIN

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	29	3	1.7	-1.4	2.2
42056	24	0	0.7	-0.9	1.1
42079	6	16	1.7	-0.1	1.7
42101	3	0	0.6	-0.6	0.8
42111	5	0	0.4	1.0	1.1
42182	30	3	1.1	0.1	1.2
42314	9	0	0.5	-0.9	1.0
42339	23	0	1.1	0.2	1.1
42348	27	40	1.3	-0.2	1.4
42361	17	0	1.6	-0.3	1.7
42410	30	0	1.1	-0.4	1.2
42647	29	0	1.2	0.3	1.2
42724	24	4	0.9	-0.5	1.0
42809	27	3	0.9	-0.5	1.0
42867	24	0	1.0	0.2	1.0
42874	21	4	0.8	-0.3	0.9
42886	14	7	1.1	-0.9	1.4
43003	27	0	0.7	-0.1	0.7
43041	17	0	1.2	-0.0	1.2
43063	27	7	1.5	-0.2	1.5
43128	26	3	0.9	0.5	1.0
43185	29	0	3.0	0.8	3.1
43279	20	5	4.5	1.2	4.6
43346	23	13	0.8	0.2	0.9
43353	23	0	0.5	-0.5	0.7
43369	24	4	1.1	-0.4	1.1

TABLE 7a: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa ZONAL WIND INCREMENTS - 01062024 to 30062024 (00Z)

UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	26	0	3.8	-0.4	3.8
42056	10	0	1.8	-0.6	1.9
42079	17	0	2.1	-0.6	2.2
42101	8	0	1.9	-0.2	1.9
42111	28	0	3.2	-1.2	3.4
42182	30	0	2.3	0.2	2.3
42314	18	0	3.3	0.4	3.3
42339	25	0	3.6	-0.0	3.6
42348	29	0	2.8	0.6	2.9
42361	15	0	2.6	0.4	2.6
42399	17	0	6.9	3.4	7.7
42410	26	0	3.6	0.3	3.6
42492	30	0	3.4	-1.3	3.6
42623	18	0	2.8	0.7	2.8
42634	26	0	2.6	0.3	2.6
42647	30	0	2.9	0.3	2.9
42675	26	0	3.0	-0.1	3.0
42701	28	0	3.0	0.3	3.0
42724	22	0	2.5	0.1	2.5
42809	28	0	2.6	-1.5	3.0
42867	28	0	3.7	-1.3	3.9
42874	22	0	3.5	-2.1	4.1
42886	13	0	3.5	-1.4	3.7
42971	29	0	3.7	-2.8	4.6
43003	27	0	3.8	-0.9	3.9
43014	27	0	3.6	-0.6	3.6
43041	29	0	3.0	-2.2	3.8
43063	25	0	3.7	-1.5	4.0
43128	26	0	2.9	-2.0	3.5
43150	22	0	4.0	-3.0	5.0
43185	25	0	2.9	-2.9	4.1
43279	15	0	6.0	-2.6	6.5
43295	23	0	5.0	-0.2	5.0
43333	27	0	3.9	-0.9	4.0
43346	29	0	5.2	-0.1	5.2
43353	27	0	4.9	14.0	14.9
43369	17	0	3.3	-1.1	3.5

TABLE 7b: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa ZONAL WIND INCREMENTS - 01062024 to 30062024 (12Z)

UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	28	0	5.0	-0.2	5.0
42056	24	0	4.5	-1.8	4.8
42079	3	0	2.7	-0.2	2.7
42101	2	0	4.6	-3.9	6.0
42111	5	0	2.8	-3.3	4.3
42182	30	0	3.2	-0.6	3.3
42314	9	0	1.6	-0.5	1.7
42339	23	0	2.6	-0.3	2.6
42348	25	0	2.5	-0.3	2.5
42361	16	0	2.6	-0.0	2.6
42410	29	0	3.0	0.3	3.0
42647	27	0	2.5	0.2	2.5
42724	24	0	34.3	7.6	35.1
42809	26	0	2.6	-0.1	2.6
42867	25	0	2.3	-1.2	2.6
42874	15	0	2.1	-1.4	2.5
42886	11	0	2.1	-0.5	2.2
43003	27	0	3.1	-1.6	3.5
43041	9	0	2.2	-0.8	2.3
43063	24	0	1.8	-2.1	2.7
43128	17	0	4.3	-1.2	4.5
43185	30	0	5.0	-0.5	5.0
43279	19	0	4.1	-1.8	4.5
43346	22	0	5.3	-0.4	5.3
43353	19	0	4.4	14.7	15.3
43369	2	0	0.8	-0.2	0.8

TABLE 8a: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa ZONAL WIND INCREMENTS - 01062024 to 30062024 (00Z)

UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	29	0	3.1	-1.3	3.4
42056	10	0	4.1	-1.1	4.2
42079	21	0	2.4	0.5	2.4
42101	14	0	4.3	2.0	4.8
42111	27	0	2.8	0.4	2.8
42182	30	0	2.9	0.5	2.9
42314	24	0	2.7	0.2	2.7
42339	25	0	2.9	1.2	3.2
42348	30	0	3.1	-0.6	3.1
42361	17	0	2.7	1.0	2.9
42399	19	0	3.7	0.7	3.8
42410	27	0	2.9	-1.0	3.0
42492	30	0	3.1	0.2	3.1
42623	30	0	1.8	0.6	1.9
42634	29	0	2.2	0.6	2.3
42647	30	0	3.3	0.4	3.3
42675	26	0	1.9	-1.4	2.3
42701	29	0	2.4	0.0	2.4
42724	25	0	2.2	0.3	2.2
42809	28	0	2.3	0.7	2.4
42867	30	0	2.3	-0.9	2.5
42874	25	0	2.1	0.1	2.1
42886	13	0	2.0	-0.8	2.2
42971	29	0	2.5	-0.4	2.5
43003	29	0	3.4	0.2	3.4
43014	30	0	3.0	0.6	3.0
43041	30	0	3.9	0.4	3.9
43063	27	0	2.6	0.1	2.6
43128	28	0	2.5	0.7	2.6
43150	25	0	3.2	-0.2	3.3
43185	27	0	3.3	0.1	3.3
43279	22	0	3.7	2.0	4.2
43295	26	0	11.6	-1.1	11.7
43333	30	0	3.5	1.6	3.8
43346	29	0	2.3	0.5	2.4
43353	30	0	2.8	-1.9	3.4
43369	28	0	2.3	0.2	2.3

TABLE 8b: NCMRWF RADIOSONDE MONITORING STATISTICS

FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa ZONAL WIND INCREMENTS - 01062024 to 30062024 (12Z)

UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	29	0	4.1	-0.9	4.2
42056	24	0	3.1	1.9	3.6
42079	6	0	2.9	1.6	3.3
42101	3	0	2.8	3.6	4.5
42111	5	0	2.9	2.1	3.6
42182	30	0	3.3	2.3	4.0
42314	9	0	1.7	-1.5	2.3
42339	23	0	2.9	1.7	3.4
42348	27	0	3.1	1.6	3.5
42361	17	0	4.0	1.7	4.4
42410	30	0	3.9	1.1	4.0
42647	29	0	2.7	0.8	2.8
42724	25	0	2.9	0.9	3.0
42809	27	0	2.8	0.2	2.8
42867	24	0	1.9	0.1	1.9
42874	21	0	2.0	1.3	2.4
42886	14	0	1.9	0.3	1.9
43003	27	0	3.6	0.6	3.7
43041	17	0	2.3	1.1	2.6
43063	27	0	2.5	0.5	2.5
43128	26	0	1.7	1.3	2.1
43185	28	0	2.8	1.1	3.0
43279	20	0	3.3	0.7	3.4
43346	23	0	2.4	0.4	2.4
43353	23	0	2.9	-2.2	3.7
43369	24	0	2.3	0.6	2.4

TABLE 9a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa MERIDIONAL WIND INCREMENTS - 01062024 to 30062024 (00Z)
UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	26	0	3.9	-0.4	3.9
42056	10	0	4.0	-1.5	4.2
42079	17	0	3.1	1.0	3.3
42101	8	0	3.1	0.8	3.2
42111	28	0	3.0	-0.3	3.1
42182	30	0	3.6	-0.2	3.6
42314	18	0	3.7	0.5	3.7
42339	25	0	3.8	-0.3	3.8
42348	29	0	3.8	-1.0	3.9
42361	15	0	3.7	-0.9	3.8
42399	17	0	4.6	0.2	4.6
42410	26	0	4.1	0.6	4.1
42492	30	0	4.5	1.0	4.6
42623	18	0	2.8	-0.4	2.8
42634	26	0	2.8	0.9	2.9
42647	30	0	3.9	0.6	3.9
42675	26	0	3.6	-0.6	3.6
42701	28	0	2.7	-1.3	3.0
42724	22	0	3.8	-0.6	3.8
42809	28	0	4.5	-1.7	4.8
42867	28	0	3.1	-0.4	3.2
42874	22	0	3.4	-0.3	3.4
42886	13	0	3.0	-1.9	3.6
42971	29	0	2.7	0.1	2.7
43003	27	0	4.3	1.1	4.4
43014	27	0	4.8	-0.0	4.8
43041	29	0	2.6	0.2	2.6
43063	25	0	5.1	2.6	5.7
43128	26	0	3.2	1.2	3.4
43150	22	0	2.9	0.8	3.0
43185	25	0	3.3	0.8	3.4
43279	15	0	3.9	0.5	3.9
43295	23	0	3.7	1.2	3.8
43333	27	0	4.2	-1.2	4.4
43346	29	0	4.1	1.5	4.4
43353	27	0	3.1	-0.2	3.2
43369	17	0	2.3	1.1	2.6

TABLE 9b: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

100 hPa MERIDIONAL WIND INCREMENTS - 01062024 to 30062024 (12Z)
UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	28	0	4.2	0.0	4.2
42056	24	0	4.1	-0.2	4.1
42079	3	0	2.1	1.3	2.5
42101	2	0	1.1	1.1	1.5
42111	5	0	2.0	-0.4	2.1
42182	30	0	3.4	1.3	3.6
42314	9	0	3.5	0.1	3.5
42339	23	0	3.1	1.5	3.4
42348	25	0	4.4	1.6	4.7
42361	16	0	2.6	1.7	3.1
42410	29	0	3.8	0.3	3.8
42647	27	0	4.4	0.6	4.5
42724	24	0	3.1	0.8	3.2
42809	26	0	3.4	0.9	3.6
42867	25	0	2.7	0.5	2.7
42874	15	0	6.0	1.1	6.1
42886	11	0	3.0	-1.6	3.4
43003	27	0	4.2	0.5	4.2
43041	9	0	2.0	0.1	2.0
43063	24	0	4.4	0.2	4.4
43128	17	0	3.4	-1.0	3.5
43185	30	0	3.8	0.1	3.8
43279	19	0	5.3	-0.9	5.4
43346	22	0	3.3	0.4	3.4
43353	19	0	3.1	0.5	3.1
43369	2	0	2.4	-2.2	3.3

TABLE 10a: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa MERIDIONAL WIND INCREMENTS - 01062024 to 30062024 (00Z)
UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	29	0	4.2	0.5	4.2
42056	10	0	2.9	0.3	2.9
42079	21	0	2.3	0.9	2.5
42101	14	0	2.6	1.2	2.9
42111	27	0	2.9	1.2	3.1
42182	30	0	3.0	-0.1	3.0
42314	24	0	2.3	-0.8	2.4
42339	25	0	3.2	-1.5	3.5
42348	30	0	3.1	-0.2	3.1
42361	17	0	3.0	0.3	3.0
42399	19	0	2.9	-0.4	2.9
42410	27	0	3.3	-0.7	3.3
42492	30	0	2.8	1.5	3.2
42623	30	0	2.7	-1.0	2.9
42634	29	0	2.4	-0.3	2.4
42647	30	0	2.6	-1.5	3.0
42675	26	0	2.2	0.4	2.2
42701	29	0	2.1	1.5	2.5
42724	25	0	2.8	-1.2	3.1
42809	28	0	3.0	-0.3	3.0
42867	30	0	2.2	0.3	2.2
42874	25	0	2.3	0.3	2.3
42886	13	0	3.0	-0.2	3.0
42971	29	0	3.3	0.3	3.3
43003	29	0	2.6	-0.5	2.7
43014	30	0	3.0	0.3	3.0
43041	30	0	2.6	0.4	2.7
43063	27	0	2.2	-1.6	2.7
43128	28	0	2.7	0.4	2.8
43150	25	0	2.7	0.8	2.8
43185	27	0	2.7	1.0	2.8
43279	22	0	3.1	1.1	3.3
43295	26	0	2.7	1.7	3.2
43333	30	0	3.8	1.0	4.0
43346	29	0	2.6	0.3	2.6
43353	30	0	2.0	0.5	2.1
43369	28	0	2.4	0.4	2.4

TABLE 10b: NCMRWF RADIOSONDE MONITORING STATISTICS
FOR WMO BLOCK 42 AND 43 STATIONS ONLY

500 hPa MERIDIONAL WIND INCREMENTS - 01062024 to 30062024 (12Z)
UNIT IS METER/SEC

STNID	COUNT	%REJC	SD	BIAS	RMS
42027	29	0	4.0	-0.5	4.0
42056	24	0	4.4	-1.0	4.5
42079	6	0	2.5	0.1	2.5
42101	3	0	3.6	1.9	4.1
42111	5	0	3.9	2.2	4.5
42182	30	0	3.1	1.2	3.3
42314	9	0	1.6	0.5	1.6
42339	23	0	2.4	-0.3	2.4
42348	27	0	3.2	0.2	3.2
42361	17	0	2.2	1.4	2.6
42410	30	0	3.6	-0.2	3.6
42647	29	0	2.0	-0.3	2.0
42724	25	0	2.6	-1.0	2.7
42809	27	0	2.5	-0.1	2.5
42867	24	0	2.7	1.3	3.0
42874	21	0	2.1	0.4	2.1
42886	14	0	2.6	0.4	2.7
43003	27	0	2.9	-0.3	2.9
43041	17	0	3.0	0.4	3.0
43063	27	0	2.4	0.5	2.5
43128	26	0	1.8	0.2	1.9
43185	28	0	2.5	-0.3	2.5
43279	20	0	2.6	0.4	2.7
43346	23	0	1.9	0.7	2.0
43353	23	0	2.6	0.3	2.6
43369	24	0	2.4	0.6	2.5

NCMRWF Monitoring Statistics 01 06 24 TO 30 06 24

Availability - SYNOP/SHIP PRESSURE

Average number of observations in 24 hours - 117573

LAND - WMO REGION I: 6503 II: 17756 III: 2388 IV: 6160 V: 15248 VI: 44696 VII: 672

OCEAN - N. Atlantic: 11102 S. Atlantic: 711 Indian: 2751 Pacific: 8527




Fig 1.1




Fig 1.2

NCMRWF Monitoring Statistics

Availability – TEMP/PILOT 300 hPa wind

Average number of observations in 24 hours – 1522

LAND – WMO REGION I: 46 II: 546 III: 93 IV: 337 V: 240 VI: 191 VII: 14

OCEAN – N. Atlantic: 0 S. Atlantic: 0 Indian: 0 Pacific: 0




Fig 1.3

NCMRWF Monitoring Statistics 01 06 24
 Availability – AIRCRAFT winds 300–150 hPa
 Average number of observations in 24 hours – 216174





Fig 1.4

NCMRWF Monitoring Statistics 01 06
 Availability – NOAA 18 ATOVS : AMSU-A
 Average number of observations in 24 hours – 236233



NCMRWF Monitoring Statistics 01 06 24 TO 30 06 24
 Availability – AMV winds 400–150 hPa
 Average number of observations in 24 hours – 591140




Fig 1.6(a)

NCMRWF Monitoring Statistics 01 06 24 TO 30 06 24
 Availability – AMV winds 1000–700 hPa
 Average number of observations in 24 hours – 326643




Fig 1.6(b)

NCMRWF Monitoring Statistics 01 06 24 TO 30 06 24

Availability - BUOY PRESSURE

Average number of observations in 24 hours - 39936

OCEAN - N. Atlantic: 8628 S. Atlantic: 2592 Indian: 3967 Pacific:24127




Fig 1.7

NCMRWF Monitoring Statistics: June 2024

AMV WINDS: 700 - 1000 hPa Mean Observed Wind




Fig 2.1

NCMRWF Monitoring Statistics: June 2024

AMV WINDS: 700 - 1000 hPa

WIND BIAS: Observation - First Guess




Fig 2.2

NCMRWF Monitoring Statistics: June 2024

AMV WINDS: 150 – 400 hPa Mean Observed Wind




Fig 2.8

NCMRWF Monitoring Statistics: June 2024

AMV WINDS: 150 - 400 hPa

WIND BIAS: Observation - First Guess




Fig 2.4

Monthly DWR data monitoring at NCMRWF for June 2024(%)

